

MATERIAL SAFETY DATA SHEET

TRADE NAME:	TENURE UNIBOND A
--------------------	-------------------------

CHEMICAL NAME: Methacrylate: ester

CHEMICAL FAMILY: Alkyl Methacrylate

I. PHYSICAL DATA

BOILING POINT, 760mm, Hg:	155°C @ 0.5mm Hg
FREEZING POINT:	N/A
SPECIFIC GRAVITY (H ₂ O=1):	1.320@ 20°C/4°C
VAPOR PRESSURE (20°C):	N/A
VAPOR DENSITY (Air=1):	N/A
SOLUBILITY IN WATER:	Slight
PERCENT VOLATILES BY VOLUME:	NE
EVAPORATION RATE (Butyl Acetate=1):	NE

II. FIRE AND EXPLOSION HAZARD DATA

FLASH POINT:	140°C
FLAMMABLE LIMITS:	N/A
EXTINGUISHING MEDIA:	CO ₂ , dry chemicals
SPECIAL FIRE EXTINGUISHING PROCEDURES:	Use self-contained breathing apparatus
UNUSUAL FIRE AND EXPLOSION HAZARDS:	Evaluate downwind of fire to avoid irritating smoke

III. HEALTH HAZARDS

THRESHOLD LIMIT VALUE:	NE
EFFECTS OF OVEREXPOSURE:	Skin: Dry out, irritation
EMERGENCY AND FIRST AID:	Eyes: Flush with water for 15 minutes. Call physician.
	Skin: Flush with water.

IV. REACTIVITY DATA

STABILITY:	Stable
CONDITIONS TO AVOID:	Heat and ignition
INCOMPATIBILITY:	Free Radical Initiators, Organic Peroxides
HAZARDOUS DECOMPOSITION:	May form Methyl Methacrylated Methacrylate Esters
HAZARDOUS POLYMERIZATION:	May occur when heated

V. SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED:	Wipe with absorbing towel
WASTE DISPOSAL METHOD:	Dispose according to government regulations.

EMERGENCY PHONE NUMBER: (805) 922-8491

While Den-Mat Corporation believes that the data contained herein are factual and the opinions expressed are those of qualified experts regarding the results of the tests conducted, the data are not to be taken as a warranty or representation for which Den-Mat assumes legal responsibility. They are offered solely for your consideration, investigation and verification. Any use of these data and information must be determined by the user to be in accordance with applicable Federal, State and local laws and regulations.

DEN-MAT CORPORATION, 2727 SKYWAY DRIVE, SANTA MARIA, CA 93455